

# WORKBENCH

The Bene WORKBENCH offers both small and large teams plenty of room to work in an uncomplicated environment to exchange ideas. Table panels and screens, which can be integrated into the desk,

offer sufficient individual privacy, despite the closeness. The desk system can be designed completely individually and makes optimal workspace solutions possible for all kinds of requirements.



**bene**

INSPIRING OFFICES. SINCE 1790.

## PRODUCT DESCRIPTION



**WORKBENCH BASIC**



**WORKBENCH DELTA BY BENE**



**WORKBENCH DELTA BY BENE WOOD**





**WORKBENCH DELTA BY BENE HIGH**



**WORKBENCH DELTA BY BENE HIGH WOOD**

## PRODUCT DESCRIPTION

- ❶ **Table top:** Three board thickness are available:  
13 mm compact top, 19 mm, or 25 mm chipboard
- ❷ **Edge (circumferential):** Chipboard 19 mm: 2 mm mono-edge,  
or 3 mm mono-edge. Chipboard 25 mm: 2 mm mono-edge  
or 3 mm mono-edge.
- ❸ **Frame:** versions: Basic rectangular, Delta by Bene, Delta by Bene High,  
Delta by Bene wood, Delta by Bene High wood.




- ❶ Table top
- ❷ Frame
- ❸ Slab-end
- ❹ Foldable cable tray T
- ❺ Handle and retainer for sliding top
- ❻ Universal adapter
- ❼ Plate connector
- ❽ Diecast-clamps
- ❾ Table top clip
- ❿ Plug box or cable box
- ⓫ Cable outlet


## OVERVIEW AND DIMENSIONS

### DESKTOP SHAPE BASIC DESK


#### Rectangle RE



#### Rectangle RE with Soft Edge<sup>3</sup>




### DEFINITION OF WORKBENCH SIDES/TOP SHAPE DIRECTION




### DESK TOP SHAPES COMMUNICATION SEGMENT<sup>2</sup>

#### Lateral at workbench rectangular ME



#### Lateral at workbench rounded MR




<sup>1</sup> only for Basic rectangular

<sup>2</sup> only for rectangle RE desk

<sup>3</sup> only for Delta frame


Dimensions in mm

## FRAME VERSIONS




### BASIC RECTANGULAR<sup>1</sup>

- Rectangular pipe 60 x 30 mm, steel
- White, black or aluminium coloured
- Levelling: +10 mm by means of adjustment leg
- Range of height adjustment: fixed or in 20 mm grid with tool




### DELTA BY BENE

- Rectangular pipe 60 x 30 mm, steel
- White, black or aluminium coloured
- Levelling: +10 mm by means of adjustment leg
- Range of height adjustment: fixed or in 20 mm grid with tool




### DELTA BY BENE WOOD

- Wooden tube 57 x 53,5 mm, to steel pipe
- Metal parts only WI white
- Wood in natural oak (HC) or graphite oak solid (HD)
- Levelling: +10 mm by means of adjustment leg
- Range of height adjustment: fixed



### DELTA BY BENE HIGH

- Rectangular pipe 60 x 30 mm, steel
- White, black or aluminium coloured
- Levelling: +10 mm by means of adjustment leg
- Range of height adjustment: fixed



### DELTA BY BENE HIGH WOOD

- Wooden tube 57 x 53,5 mm, to steel pipe
- Metal parts only WI white
- Wood in natural oak (HC) or graphite oak solid (HD)
- Levelling: +10 mm by means of adjustment leg
- Range of height adjustment: fixed

<sup>1</sup>not possible for tables rectangle RE with Soft Edge

## OPTIONS



### CABLE OUTLET

Quick and easy to pass cabling through the table top.  
The outlet cover can be slip to one side so that the cable can pass through it.

- 1-2 units per table top possible
- cable outlet is inversely arranged at the second desk top
- available in SZ black coloured, AL aluminium coloured or WI white coloured

#### Possible positions

RE



### PLUG BOX



The plug box is milled flush into the table top and can be equipped with a connection plug board. Quick and easy access to the plug board is enabled by opening the aluminium flap. Cannot be combined with sliding top and cable flap.

- 1 to maximum 2 plug boxes per desk top are possible
- position per desktop shape specified as fixed
- position in the centre up to desk width of 1.400 mm
- position left or right from desk width of 1.600 mm upwards

Plug box and integral connection plug boards → "Cable and media management" price list

#### Possible positions

RE



### CABLE BOX



The cable box enables quick and easy access to the cable tray. The plastic frame and the metal flap are available in white, black or aluminum.

- 1 to maximum 2 pieces per desk top are possible
- position per desktop shape specified as fixed
- position in the centre up to desk width of 1.400 mm
- position left or right from desk width of 1.600 mm upwards

Cannot be combined with sliding top and cable flap.

#### Possible positions

RE



## OPTIONS



### CABLE FLAP

Cable flaps allow for easy, ergonomically correct and quick access to cable management. Only makes sense in connection with a cable tray. Combination with sliding top is not possible. If a shortened sliding top is selected, the depth of the cable flap is reduced. (depending on selected T-Panel)

- version possible as table top or variation
- the cable flap is divided in the centre from a desk width of 1.401 mm upwards
- installation on universal adapters included

#### Possible positions

RE



### FOLDABLE CABLE TRAY T


The cable tray is aimed at providing virtually invisible cable management. Vertical cable routing can be done by means of cable chains which can be hooked in along the entire length of the cable tray.

- foldable cable tray only possible up to a desk width of 999 mm
- colour: SZ black


Cable chains → pricelist cable and media management.

#### Possible positions

RE



Foldable cable tray T for  
fix workbench top





### SLIDING TOP

The sliding top has a sliding mechanism with a latching function for locking. It can be easily slid to the front by loosening the catch and thus allowing cable management access.

Only in combination with a cable tray.  
Combination with cable flap is not possible.

#### Possible positions

RE




Sliding length 190 mm

## OPTIONS

### PREPARATION FOR CONNECTION OF T-PANEL (UNIVERSAL ADAPTER)

Every T-Panel element will be fixed on universal adapters.  
This enables different elements to be connected.  
T-Panel cannot be connected using table top clamp.


- 2 units up to a desk width of 1.400 mm
- 3 units from a desk width of 1.401 mm upwards



Universal adapter


### Gap dimensions for cable feedthrough

#### T-Panel Multi




for cable flap: 2 mm  
for fixed tabletop/sliding top: 12 mm

#### T-Panel Curve



for cable flap: 3 - 4 mm  
for fixed tabletop/sliding top: 3 - 4 mm

#### T-Panel Pure




for cable flap: 2,5 mm  
for fixed tabletop/sliding top: 11,5 mm

### CONNECTION OF SUPPORTING PEDESTAL

- pedestals in the heights 538 mm (9 HE) and 588 mm (10 HE) (means of support mounts)
- only in connection with cable flap or sliding top reasonable
- width of cable tray and desk frame stay like at the standard slab-end
- due to tilting danger no excess length of desk top is accepted
- modesty panels only on trailing edge, desk depth must be bigger than pedestal depth


Pedestal height 538 mm: height adjustment of desk from 680 mm

Pedestal height 588 mm: height adjustment of desk from 720 mm



### Possible positions

RE





### FIXED PEDESTAL CONNECTION

- fixed pedestal with height 740 mm (no height adjustment of desk)
- desk frame width always standard, depending on type of slab-end
- later deconstruction to frame only limited possible
- no desk excess length of desk top on connection side possible

### Possible positions

RE






## OPTIONS


### SIDEBOARD CONNECTION

- sideboard is used as a frame replacement
- maximum 2 sideboards per desk possible (connection only on one side)
- connection is only possible as from desk width 1.600 mm
- inserting angle always 90°



#### Possible positions

RE




### COMMUNICATION SEGMENT

#### Assembly lateral at Workbench

- material: Chipboard 19/25 mm or compact board 13 mm


The gap between the desk tops increases by 2 mm, if a communication segment is chosen. The increase ensures the availability of certain options.



### EXCESS LENGTH OF DESK TOP

Depending on the shape of the table top, the table top can be enlarged in different directions by the specified dimensions.

RE



left: 0 - max. 200 mm  
right: 0 - max. 200 mm  
user side: 0 - max. 100 mm

left: 0 - max. 200 mm  
right: 0 - max. 200 mm  
user side: 0 - max. 100 mm

## INSPIRATIONS



### Inspiration #01

- Workbench with Basic rectangular, aluminium coloured
  - Rectangular, 1.600 x 1.602 mm
  - T-Panel Multi in MW white with glass element
  - 2x B\_Run medium-high
- .....



### Inspiration #02

- Workbench with Delta by Bene wood, oak natural
- Rectangular, 4.000 x 1602 mm with communication segment
- T-Panel Pure in MW white
- Pinnable screen in fabric Remix 823 (light blue)
- 4x SIDE\_S Pedestal and 4x RIYA medium-high

## INSPIRATIONS




### Inspiration #03


- Workbench with Delta by Bene wood, oak natural
- Soft Edge, 2.000 x 1.602 mm
- T-Panel Curve in fabric Xtreme Plus YS009 (black)
- 2x SIDE\_S Caddy and 2x Bay Chair Counter

## MELAMINE


### MELAMINE GROUP 1: Basic colours




MW white



MQ office white



MC canvas<sup>2</sup>




MP platinum<sup>2</sup>



MA aluminium<sup>2</sup>




MS slate<sup>2</sup>




MB basalt


### MELAMINE GROUP 2: Additional basic colours<sup>1,2</sup>




MH stone grey



TM clay



MD urban grey




MGS graphite black



MSW snow white

### MELAMINE GROUP 2: Decor colours<sup>1,2</sup>



AR maple



EZ oak vicenza



BH beech light




NG walnut grey

### MELAMINE GROUP 3: Accent colours<sup>1,2</sup>



MPZ pistachio




MHR light rose

### MELAMINE GROUP 3: Decor colours, wooden texture<sup>1,2</sup>



CO coco texture




MNP walnut pavia

<sup>1</sup> not available for compact top

<sup>2</sup> not available for 3mm edge single-coloured


## COLOURS & MATERIALS

### VENEER: Maple




AK canad. maple

### VENEER: Beech




BG beech, grey


### VENEER: Oak



EY oak, silt



ER oak, amaretto




EV oak, volcano



EG oak grey

### VENEER: Chestnut



KD chestnut natural




KP chestnut brown




KQ chestnut grey


### VENEER: Walnut




NF americ. walnut



NR walnut, sienna



NB walnut, umbra




NA wal., anthracite

### VENEER: Bamboo




BJ bamboo

### METAL SURFACE POWDER-COATED



WI white




AL aluminium



SZ black

### ALUMINIUM ANODISED



AL aluminium